# SAFETY DATA SHEET

Version 5.6 Revision Date 02/13/2014 Print Date 04/07/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product name : 2-Propanol

Product Number : 19516 Brand : Sigma Index-No. : 603-117-00-0

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 67-63-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

### 1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system,

H336 For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225
 H319
 H336
 Highly flammable liquid and vapour.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Sigma - 19516

P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338 contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/ physician if you feel unwell. P312 If eye irritation persists: Get medical advice/ attention. P337 + P313 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for P370 + P378 extinction. P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1Substances

**Synonyms** sec-Propyl alcohol

> Isopropyl alcohol Isopropanol

: C3H8O Formula 60.10 g/mol Molecular Weight CAS-No. 67-63-0 EC-No. : 200-661-7 Index-No. : 603-117-00-0

Hazardous components

nazaracae componente			
Component	Classification	Concentration	
2-Propanol			
	Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3; H225, H319,	-	
	H336		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Sigma - 19516 Page 2 of 9

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment

needed no data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

### **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. Hygroscopic.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Sigma - 19516 Page 3 of 9

Component	CAS-No.	Value	Control parameters	Basis		
2-Propanol	67-63-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values		
				(TLV)		
	Remarks	Eye & Upp	er Respiratory Tract irritation			
		Central Nervous System impairment Not classifiable as a human carcinogen				
		STEL	400 ppm	USA. ACGIH Threshold Limit Values		
				(TLV)		
		Eye & Upper Respiratory Tract irritation Central Nervous System impairment				
		Not classifiable as a human carcinogen				
		TWA	400 ppm	USA. OSHA - TABLE Z-1 Limits for		
			980 mg/m3	Air Contaminants - 1910.1000		
		STEL	500 ppm	USA. OSHA - TABLE Z-1 Limits for		
			1,225 mg/m3	Air Contaminants - 1910.1000		
		TWA	400 ppm	USA. Occupational Exposure Limits		
			980 mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		The value	The value in mg/m3 is approximate.			
		TWA	400 ppm	m3 Exposure Limits  USA. NIOSH Recommended		
			980 mg/m3			
		ST	500 ppm			
			1,225 mg/m3			

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
2-Propanol	67-63-0	Acetone	40 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at end of workweek			

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 60 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Sigma - 19516 Page 4 of 9

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance Form: liquid

Colour: colourless

Odour alcohol-like

Odour Threshold no data available c) no data available d) Hq

Melting point/freezing

point

Melting point/range: -89.5 °C (-129.1 °F)

Initial boiling point and

boiling range

82 °C (180 °F)

Flash point 12.0 °C (53.6 °F) - closed cup

Evapouration rate 3.0

i) Flammability (solid, gas) no data available

Upper/lower Upper explosion limit: 12.7 %(V) flammability or Lower explosion limit: 2 %(V)

explosive limits

43.2 hPa (32.4 mmHg) at 20.0 °C (68.0 °F) Vapour pressure

58.7 hPa (44.0 mmHg) at 25.0 °C (77.0 °F)

I) Vapour density no data available

m) Relative density 0.785 g/mL at 25 °C (77 °F)

Water solubility completely soluble

Partition coefficient: n-

octanol/water

log Pow: 0.05

Auto-ignition 425.0 °C (797.0 °F)

temperature

Decomposition no data available

temperature

Viscosity no data available r)

Explosive properties no data available s) Oxidizing properties no data available

9.2 Other safety information

> Surface tension 20.8 mN/m at 25.0 °C (77.0 °F)

Sigma - 19516 Page 5 of 9

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

### 10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - rat - 5,045 mg/kg

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - rat - 8 h - 16000

ppm LD50 Dermal - rabbit - 12,800

mg/kg no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation

### Serious eye damage/eye irritation

Eyes - rabbit

Result: Eye irritation - 24 h

# Respiratory or skin

sensitisation no data available

### Germ cell mutagenicity

no data available

## Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

no data available

Sigma - I9516 Page 6 of 9

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated

exposure no data available

### **Aspiration hazard**

no data available

### **Additional Information**

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.

Kidney - Irregularities - Based on Human Evidence Kidney - Irregularities - Based on Human Evidence

and

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h

EC50 - Algae - > 1,000.00 mg/l - 24 h

#### 12.2 Persistence

degradability no data available

### 12.3 Bioaccumulative

potential no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

no data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1219 Class: 3

Proper shipping name: Isopropanol

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

ping name: Isopropanol

Sigma - I9516 Page 7 of 9

Packing group: II

**IMDG** 

UN number: 1219 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ISOPROPANOL

Marine pollutant: No

**IATA** 

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

### 15. REGULATORY INFORMATION

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

**SARA 302 Components** 

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

2-Propanol 67-63-0 1987-01-01

New Jersey Right To Know Components

CAS-No. Revision Date

2-Propanol 67-63-0 1987-01-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Sigma - 19516 Page 8 of 9

### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6 Revision Date: 02/13/2014 Print Date: 04/07/2014

Sigma - I9516 Page 9 of 9