# SAFETY DATA SHEET

Version 5.1 Revision Date 02/24/2014 Print Date 03/05/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product name : Acetic anhydride

Product Number : 242845
Brand : Sigma-Aldrich
Index-No. : 607-008-00-9

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 108-24-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

## 1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Dogo	Voor container tightly aloned
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
1 000 1 1 001 1 1 000	clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position
Door Door Door	comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
1 001	Pioposo of contents, container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Reacts violently with water.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1Substances

Formula : C4H6O 3 Molecular Weight : 102.09 g/mol CAS-No. : 108-24-7 EC-No. : 203-564-8 Index-No. : 607-008-00-9

Component	Classification	Concentration					
Acetic anhydride							
	Flam. Liq. 3; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; H226, H302, H314, H331	-					

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment

needed no data available

#### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Reacts violently with water.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Acetic anhydride	108-24-7	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Eye & Upper Respiratory Tract irritation Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC)			
		С	5 ppm 20 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		TWA	5 ppm 20 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		The value in mg/m3 is approximate.			
		С	5 ppm 20 mg/m3	USA. NIOSH Recommended Exposure Limits	

### 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour pungent

c) Odour Threshold no data availabled) pH no data available

e) Melting point/freezing

point

Melting point/range: -73 °C (-99 °F) - lit.

f) Initial boiling point and

boiling range

138 - 140 °C (280 - 284 °F) - lit.

g) Flash point 49 °C (120 °F) - closed cup

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive limits Upper explosion limit: 10.3 %(V) Lower explosion limit: 2.7 %(V)

k) Vapour pressure 5 hPa (4 mmHg) at 20 °C (68 °F)

13 hPa (10 mmHg) at 36 °C (97 °F)

6.69 hPa (5.02 mmHg)

I) Vapour density 3.52 - (Air = 1.0)
 m) Relative density 1.08 g/cm3
 n) Water solubility slightly soluble

o) Partition coefficient: n-

octanol/water

no data available

p) Auto-ignition temperature

no data available

q) Decomposition temperature no data available

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

9.2 Other safety information

Surface tension 32.7 mN/m at 20 °C (68 °F)

Relative vapour density 3.52 - (Air = 1.0)

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

# **10.3 Possibility of hazardous reactions** no data available

reactions no data available

#### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction. Heat, flames and sparks.

## 10.5 Incompatible materials

acids, Alcohols, Bases, Oxidizing agents, Reducing agents, Powdered metals

## 10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - rat - 1,780 mg/kg

LC50 Inhalation - rat - 4 h - 4,200 mg/m3

LD50 Dermal - rabbit - 4,320 mg/kg

no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation

# Serious eye damage/eye irritation

Eves - rabbit

Result: Severe eye irritation

Respiratory or skin sensitisation no data available

#### Germ cell mutagenicity

no data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

no data available

# Specific target organ toxicity - single

exposure no data available

# Specific target organ toxicity - repeated

exposure no data available

#### Aspiration hazard

no data available

#### **Additional Information**

RTECS: AK1925000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

#### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus melanotus - 265 mg/l - 48 h

Toxicity to daphnia and EC50 - Daphnia - 55 mg/l - 96 h

other aquatic invertebrates

# 12.2 Persistence and degradability no data available

## 12.3 Bioaccumulative

potential no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

no data available

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1715 Class: 8 (3) Packing group: II

Proper shipping name: Acetic anhydride Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No.

**IMDG** 

UN number: 1715 Class: 8 (3) Packing group: II EMS-No: F-E, S-C

Proper shipping name: ACETIC ANHYDRIDE

Marine pollutant: No

**IATA** 

UN number: 1715 Class: 8 (3) Packing group: II

Proper shipping name: Acetic anhydride

# **15. REGULATORY INFORMATION**

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

Acetic anhydride CAS-No. Revision Date 2007-03-01

Pennsylvania Right To Know Components

Acetic anhydride CAS-No. Revision Date 2007-03-01

New Jersey Right To Know Components

Acetic anhydride CAS-No. Revision Date 2007-03-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled. Skin Corr. Skin corrosion

**HMIS Rating** 

Health hazard: 3
Chronic Health Hazard: Flammability: 2
Physical Hazard 3

**NFPA Rating** 

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 02/24/2014 Print Date: 03/05/2014